

# CONNECT-BDG2-1 — RADIO RA2 CONNECT BRIDGE



Connect-BDG2-1 Lutron Radio RA2 Connect Bridge is needed to connect to the Lutron App or any of the compatible home system it supports. Initial setup for the RadioRA2 devices may require some programming. Contact us for support and questions: P: 562-485-6624 E: [info@literitecontrols](mailto:info@literitecontrols)

The Lutron Radio RA2 Connect Bridge creates a link between a RadioRA 2 or HomeWorks QS system and the Lutron cloud, enabling remote access to your system. Connect-BDG2-1 replaces the Connect-BDG-1.

## **Features**

- Works with the Lutron Connect app (Android® and iOS®)
- Provides remote access for control and monitoring of system via Lutron Connect app 1,2
- Timeclock syncing to always ensure accurate system time
- Compatible with Apple HomeKit technology for up to 99 zones – Uses Siri voice control to adjust lights and shades
- Sonos® endorsed integration
- Integrates with Amazon® Alexa®-enabled devices
- Supports geofencing from the Lutron Connect App

## **Models Available**

- CONNECT-BDG2-1: 5 V- 300 mA (North America with Power Supply T-5DC-USB-WH)

- CONNECT-BDG2-2: 5 V- 300 mA (Without Power Supply)
- CONNECT-BDG2-3: 5 V- 300 mA (With Power Supply Kit T-5V-PS-KIT-BL – includes 4 plug adapters for United Kingdom, Europe, Australia, and China)

Radio RA2 Connect-BDG2-1 pairs with these items.

## Radio RA2 Applications

The Lutron Radio RA2 Connect Bridge is required when using the Lutron Connect app. The Lutron Connect App is compatible with iOS devices version 9.0 or later and Android devices 4.1 (Jellybean) or later.

To control this HomeKit-enabled accessory, iOS 9.0 or later is recommended. Communication between iPhone, iPad, or iPod Touch and HomeKit-enabled Connect Bridge is secured by HomeKit technology. Controlling this HomeKit-enabled accessory automatically and away from home requires an Apple TV with tvOS 10.0 or later or an iPad with iOS 10.0 or later set up as a home hub.

A working internet connection, Lutron Connect Bridge, Lutron Connect App 2.0 or newer and Sonos app are required.

A working internet connection, Lutron Connect Bridge, and Lutron Connect App 3.0 or newer are required.

---

**LCGATEWAY      —      LIGHTCLOUD**

# GATEWAY



This is the Lightcloud gateway. The Gateway is the brain of Lightcloud. It communicates with RAB's servers via private 3G cellular connection, so no internet access is required. Plus, it features an uninterruptible power supply for added peace of mind.

- Connects with up to 200 Lightcloud devices
- Communicates with Lightcloud devices via 2.4 GHz wireless mesh network
- User-serviceable, built-in UPS battery backup (lasts approximately 2 hours)
- Cloud-based management – no software to install or maintain
- Connects to Lightcloud service using secure cellular 3G connection and no internet access is required
- Easy setup – simply power on, confirm a cellular signal and call 844-LIGHTCLOUD
- To activate, go to [lightcloud.com/activate](http://lightcloud.com/activate)
- Warranty is active as long as service plan is active

*RAB Lighting* creates high quality, affordable, well designed and energy efficient indoor and outdoor LED lighting, fixtures, sensors and *controls*. Check out the RAB Lighting Controls page.

---

# TSUI-WM – TOUCHSCREEN USER INTERFACE



This is the Touchscreen user Interface.

- Color touch screen computers that provide custom graphical user interfacing.
- Displays are available in three configurations:
  - 7" TFT 800×480 WVGA, color display
  - 10.4" TFT 800×600 SVGA, color display
  - 13.3" TFT 1280×800 WXGA, color display
- Displays include internal flash for local storage of graphic pages.