

CDFB16X – TITAN SERIES FLUORESCENT 2 WIRE DIMMER



This is the Titan series fluorescent 2 wire dimmer. **Check out the Pass & Seymour products.**

- For use with 2 wire 120V fluorescent dimming ballasts.
- Field configurable wall plate system.
- Labeling system.
- Adjustable low end output voltage.
- Shipped with protective film.
- Rugged construction.
- Superior ratings with a minimum of derating when ganged.
- Simple to plan the rough-in.
- Attractive European styling.
- Eye-catching packaging.
- Exclusive adaptor kit to install other Decorator opening devices under the Titan wall plate system.
- Blank center plate included.
- 16A / 120V slide dimmer

CDFB53P – TITAN SERIES

FLUORESCENT 2 WIRE 3-WAY DIMMER



This is the Titan series fluorescent 2 wire 3-way dimmer.
Check out the Pass & Seymour products.

- For use with 2 wire 120V fluorescent dimming ballasts.
- Field configurable wall plate system.
- Labeling system.
- Adjustable low end output voltage.
- Shipped with protective film.
- Rugged construction.
- Superior ratings with a minimum of derating when ganged.
- Simple to plan the rough-in.
- Attractive European styling.
- Eye-catching packaging.
- Exclusive adaptor kit to install other Decorator opening devices under the Titan wall plate system.
- Blank center plate included.
- 5A / 120V slide dimmer

CDFB5X — TITAN SERIES

FLUORESCENT 2 WIRE DIMMER



This is the Titan series fluorescent 2 wire dimmer. **Check out the Pass & Seymour products.**

- For use with 2 wire 120V fluorescent dimming ballasts.
- Field configurable wall plate system.
- Labeling system.
- Adjustable low end output voltage.
- Shipped with protective film.
- Rugged construction.
- Superior ratings with a minimum of derating when ganged.
- Simple to plan the rough-in.
- Attractive European styling.
- Eye-catching packaging.
- Exclusive adaptor kit to install other Decorator opening devices under the Titan wall plate system.
- Blank center plate included.
- 5A / 120V slide dimmer.

**CDFB7277 — TITAN SERIES
FLUORESCENT 2 WIRE DIMMER**



This is the Titan series fluorescent 2 wire dimmer. **Check out the Pass & Seymour products.**

- For use with 2 wire 277V fluorescent dimming ballasts.
- Field configurable wall plate system.
- Labeling system.
- Adjustable low end output voltage.
- Shipped with protective film.
- Rugged construction.
- Superior ratings with a minimum of derating when ganged.
- Simple to plan the rough-in.
- Attractive European styling.
- Eye-catching packaging.
- Exclusive adaptor kit to install other Decorator opening devices under the Titan wall plate system.
- Blank center plate included.
- 7A / 277V slide dimmer

CDFB73P277 – TITAN SERIES FLUORESCENT 2 WIRE 3-WAY DIMMER



This is the Titan series fluorescent 2 wire 3-way dimmer.
Check out the Pass & Seymour products.

- For use with 2 wire 277V fluorescent dimming ballasts.
- Field configurable wall plate system.
- Labeling system.
- Adjustable low end output voltage.
- Shipped with protective film.
- Rugged construction.
- Superior ratings with a minimum of derating when ganged.
- Simple to plan the rough-in.
- Attractive European styling.
- Eye-catching packaging.
- Exclusive adaptor kit to install other Decorator opening devices under the Titan wall plate system.
- Blank center plate included.
- 7A / 277V slide dimmer

CDFB83P – TITAN SERIES
FLUORESCENT 2 WIRE 3-WAY
DIMMER



This is the Titan series fluorescent 2 wire 3-way dimmer.
Check out the Pass & Seymour products.

- For use with 2 wire 120V fluorescent dimming ballasts.
- Field configurable wall plate system.
- Labeling system.
- Adjustable low end output voltage.
- Shipped with protective film.
- Rugged construction.
- Superior ratings with a minimum of derating when ganged.
- Simple to plan the rough-in.
- Attractive European styling.
- Eye-catching packaging.
- Exclusive adaptor kit to install other Decorator opening devices under the Titan wall plate system.
- Blank center plate included.
- 8A / 120V slide dimmer

CDFB8X – TITAN SERIES FLUORESCENT 2 WIRE DIMMER



This is the Titan series fluorescent 2 wire dimmer. **Check out the Pass & Seymour products.**

- For use with 2 wire 120V fluorescent dimming ballasts.
- Field configurable wall plate system.
- Labeling system.
- Adjustable low end output voltage.
- Shipped with protective film.
- Rugged construction.
- Superior ratings with a minimum of derating when ganged.
- Simple to plan the rough-in.
- Attractive European styling.
- Eye-catching packaging.
- Exclusive adaptor kit to install other Decorator opening devices under the Titan wall plate system.
- Blank center plate included.
- 8A / 120V slide dimmer.

CH-250 — PIR MULTI-WAY WALL SWITCH VACANCY SENSOR



This is the PIR multi-way wall switch vacancy sensor. The CH-250 Passive Infrared (PIR) Multi-way Vacancy Sensor provides automatic lighting shutoff for a variety of applications including those with multiple switch locations. It is engineered to comply with specific provisions of California's Title 24-2013 energy code. The CH-250 operates as a manual-on sensor. Users must press the pushbutton to turn on lighting. The CH-250 employs PIR technology to sense the difference between the infrared energy from a person in motion and the background space. It keeps lighting on as long as motion is detected and provides automatic shutoff, following a user-selected time delay, when motion is no longer detected. Users may turn the connected load off manually. A CH-250 connected to other CH-250s and/or RH-253 Decorator Single Pole Momentary Switches provides true multi-way on/ off control. An occupant simply presses the on/off pushbutton of any connected device to turn on the lighting. Lights remain on as long as one of the CH-250s continues to detect occupancy. The user may turn off the lighting by pressing the on/off button on any of the connected devices. If the room becomes vacant and lights are on, they will be switched off automatically following the time delay of the last CH-250 to detect occupancy. **Check out Wattstopper DLM products here.**

- Complies with 2011 NEC requirements
- Replaces single- or multi-pole switches
- Provides multi-way control when used with other CH-250s or RH-253s
- Adjustable time delay, 15 seconds to 30 minutes
- Lighted switch for visibility in darkened rooms
- Low-profile styling

- Choice of five decorator colors; lens is color-matched to device
 - Operates most common types of lighting
 - Relay-based switching
 - No current leakage to load in off mode for safety
 - Compatible with decorator wall plates
 - CA Title 24 compliant
-

CS-50 — PIR WALL SWITCH VACANCY SENSOR



This is the PIR wall switch vacancy sensor. The CS-50 Passive Infrared (PIR) Vacancy Sensor provides automatic shutoff for single-pole lighting control applications. It is engineered to comply with specific provisions of California's Title 24-2013 energy code. The CS-50 operates as a manual-on sensor. Users must press the pushbutton to turn on lighting. The CS-50 employs PIR technology to sense the difference between the infrared energy from a person in motion and the background space. It keeps lighting on as long as motion is detected and provides automatic shutoff, following a user-selected time delay, when motion is no longer detected. Users may turn the lighting off manually. The CS-50 is shipped preset for a 30 minute time delay, and does not require any adjustment after installation. If desired, the time delay may be easily reduced to 25, 20, 15, 10 or 5 minutes or to 30 seconds. The time

delay should be set relative to the anticipated duration of stay and level of activity in the room; 30 minutes for guest room and executive restroom, and 5 to 10 minutes for pantries and laundry rooms. **Check out Wattstopper DLM products here.**

- Replaces single-pole switches
- Adjustable time delay, 30 seconds to 30 minutes
- If enabled, status indicator blinks when motion is detected
- Low-profile styling
- Choice of five decorator colors; lens is color-matched to device
- Operates most common types of lighting or fan motors
- Relay-based switching
- No current leakage to load in off mode for safety
- Compatible with decorator wall plates
- CA Title 24 compliant

DR1103P(X)V – DECORATOR ROTARY DR SERIES DIMMER



This is the decorator rotary DR series dimmer. **Check out the Pass & Seymour products.**

- A new style that matches P&S Decorator Combination devices.
- Accepts Snap-In Light Module (sold separately) to

convert decorator rotary devices into illuminated-type in moments; makes devices easy to find in the dark.

- Screw-pressure-plate back wiring speeds installation and ensures solid, high-quality electrical connections. Also supports traditional, wire-loop side wiring.
 - Heavy-gauge black anodized aluminum strap provides superior heat management and structural strength for mounting against wall surfaces.
 - Slim design leaves more room in the box and makes installation faster and easier.
 - 1100W single pole
 - No de-rating of 700 watt devices.
-

DR703P(X)V – DECORATOR ROTARY DR SERIES DIMMER



This is the decorator rotary DR series dimmer. **Check out the Pass & Seymour products.**

- A new style that matches P&S Decorator Combination devices.
- Accepts Snap-In Light Module (sold separately) to convert decorator rotary devices into illuminated-type in moments; makes devices easy to find in the dark.
- Screw-pressure-plate back wiring speeds installation and ensures solid, high-quality electrical connections. Also

supports traditional, wire-loop side wiring.

- Heavy-gauge black anodized aluminum strap provides superior heat management and structural strength for mounting against wall surfaces.
- Slim design leaves more room in the box and makes installation faster and easier.
- 700W single pole
- No de-rating of 700 watt devices.

DVSCCL-153P-XX – DIVA 3-WAY 150 W CL DIMMER



This is the Diva 3-Way 150 W CL Dimmer. A simple and elegant solution designed to match your existing designer style switches and accessories. Easily turn the lights on and off with the paddle switch. While the lights are on, use the sleek slide control to adjust lights to your perfect level. The paddle switch returns the lights to your favorite level.

Features

- Matches existing designer-style switches
- Features a large paddle switch and a small slider
- Built-in soft glow locator light available on select models
- Available in 3-way models when the lights are controlled

from more than one location

- Now available – 0-10VDC dimmer with 3-way functionality for 3rd party 0-10V fluorescent ballasts and LED drivers, no separate power pack required
- Matching Claro® gloss or Satin Colors® wallplates available for 1-gang up to 6-gang sizes
- Model available with eco-dim® feature (dimmer guarantees you at least 15% energy savings compared to a standard switch)
- C•L™ models for dimmable CFL and LED bulbs are available; these models have HED™ Technology, which improves dimming performance of these bulbs
- Large paddle switch with a captive linear-slide dimmer for a standard designer wallplate opening
- UL Listed to control:
 - Dimmable compact fluorescent (CFL) with integrated ballast
 - Dimmable LED with integrated driver
 - Halogen
 - 120W Incandescent