

RRD-W3S-XX – RadioRA 2 WALL-MOUNT DESIGNER KEYPAD



This is the RadioRA 2 wall-mount designer keypad. RadioRA 2 wall-mount designer keypads provide homeowners with a simple and elegant way to operate lights, shades /draperies, motorized screens, and many other devices. RadioRA 2 keypads feature large, easy-to-use buttons, plus a unique backlit engraving option that makes the keypads readable any time of the day or night. The keypad buttons are rounded, allowing engraving to be displayed at an upward angle, increasing readability. **Check out the RadioRA 2 products page [here](#).**

- At the press of a single button, lights fade ON or OFF to desired levels and shades/draperies open or close to desired positions.
- Light levels and shade/drapery positions can be fine-tuned by pressing and holding the raise/lower buttons.
- Programmable to select scene or room preset levels or positions.
- Adjustable backlight intensity.
- IR receivers at the front (-W5BRLIR only) and back (all models) of the keypad allow for the use of an IR remote for line-of-sight operation (front) or IR repeater kit integration (back). Design Features
- Use an IR remote to select the same programmed rooms, scenes, and raise/lower buttons as the keypad (-W5BRLIR only).
- Configurable Raise/Lower selection – Last button or IR room/ scene (default) – devices controlled by the last

button pressed or last IR room/ scene selected will raise/lower. – Double-tap – devices controlled by a double-tapped button will raise/lower.

- Prepaid engraving included. Redeemable for one engraved Replacement Kit.

RRD-W4S-XX – RadioRA 2 WALL-MOUNT DESIGNER KEYPAD



This is the RadioRA 2 wall-mount designer keypad. RadioRA 2 wall-mount designer keypads provide homeowners with a simple and elegant way to operate lights, shades /draperies, motorized screens, and many other devices. RadioRA 2 keypads feature large, easy-to-use buttons, plus a unique backlit engraving option that makes the keypads readable any time of the day or night. The keypad buttons are rounded, allowing engraving to be displayed at an upward angle, increasing readability. **Check out the RadioRA 2 products page here.**

- At the press of a single button, lights fade ON or OFF to desired levels and shades/draperies open or close to desired positions.
- Light levels and shade/drapery positions can be fine-tuned by pressing and holding the raise/lower buttons.
- Programmable to select scene or room preset levels or positions.

- Adjustable backlight intensity.
 - IR receivers at the front (-W5BRLIR only) and back (all models) of the keypad allow for the use of an IR remote for line-of-sight operation (front) or IR repeater kit integration (back). Design Features
 - Use an IR remote to select the same programmed rooms, scenes, and raise/lower buttons as the keypad (-W5BRLIR only).
 - Configurable Raise/Lower selection – Last button or IR room/ scene (default) – devices controlled by the last button pressed or last IR room/ scene selected will raise/lower. – Double-tap – devices controlled by a double-tapped button will raise/lower.
 - Prepaid engraving included. Redeemable for one engraved Replacement Kit.
-

RRD-W5BRL-XX – RadioRA 2 WALL-MOUNT DESIGNER KEYPAD



This is the RadioRA 2 wall-mount designer keypad. RadioRA 2 wall-mount designer keypads provide homeowners with a simple and elegant way to operate lights, shades /draperies, motorized screens, and many other devices. RadioRA 2 keypads feature large, easy-to-use buttons, plus a unique backlit engraving option that makes the keypads readable any time of the day or night. The keypad buttons are rounded, allowing

engraving to be displayed at an upward angle, increasing readability. **Check out the RadioRA 2 products page [here](#).**

- At the press of a single button, lights fade ON or OFF to desired levels and shades/draperies open or close to desired positions.
- Light levels and shade/drapery positions can be fine-tuned by pressing and holding the raise/lower buttons.
- Programmable to select scene or room preset levels or positions.
- Adjustable backlight intensity.
- IR receivers at the front (-W5BRLIR only) and back (all models) of the keypad allow for the use of an IR remote for line-of-sight operation (front) or IR repeater kit integration (back). Design Features
- Use an IR remote to select the same programmed rooms, scenes, and raise/lower buttons as the keypad (-W5BRLIR only).
- Configurable Raise/Lower selection – Last button or IR room/ scene (default) – devices controlled by the last button pressed or last IR room/ scene selected will raise/lower. – Double-tap – devices controlled by a double-tapped button will raise/lower.
- Prepaid engraving included. Redeemable for one engraved Replacement Kit.

RRD-W5BRLIR-XX – RadioRA 2 WALL-MOUNT DESIGNER KEYPAD



This is the RadioRA 2 wall-mount designer keypad. RadioRA 2 wall-mount designer keypads provide homeowners with a simple and elegant way to operate lights, shades /draperies, motorized screens, and many other devices. RadioRA 2 keypads feature large, easy-to-use buttons, plus a unique backlit engraving option that makes the keypads readable any time of the day or night. The keypad buttons are rounded, allowing engraving to be displayed at an upward angle, increasing readability. **Check out the RadioRA 2 products page [here](#).**

- At the press of a single button, lights fade ON or OFF to desired levels and shades/draperies open or close to desired positions.
- Light levels and shade/drapery positions can be fine-tuned by pressing and holding the raise/lower buttons.
- Programmable to select scene or room preset levels or positions.
- Adjustable backlight intensity.
- IR receivers at the front (-W5BRLIR only) and back (all models) of the keypad allow for the use of an IR remote for line-of-sight operation (front) or IR repeater kit integration (back). Design Features
- Use an IR remote to select the same programmed rooms, scenes, and raise/lower buttons as the keypad (-W5BRLIR only).
- Configurable Raise/Lower selection – Last button or IR room/ scene (default) – devices controlled by the last button pressed or last IR room/ scene selected will raise/lower. – Double-tap – devices controlled by a double-tapped button will raise/lower.
- Prepaid engraving included. Redeemable for one engraved

RRD-W6BRL-XX – RadioRA 2 WALL-MOUNT DESIGNER KEYPAD



This is the RadioRA 2 wall-mount designer keypad. RadioRA 2 wall-mount designer keypads provide homeowners with a simple and elegant way to operate lights, shades/draperies, motorized screens, and many other devices. RadioRA 2 keypads feature large, easy-to-use buttons, plus a unique backlit engraving option that makes the keypads readable any time of the day or night. The keypad buttons are rounded, allowing engraving to be displayed at an upward angle, increasing readability. **Check out the RadioRA 2 products page [here](#).**

- At the press of a single button, lights fade ON or OFF to desired levels and shades/draperies open or close to desired positions.
- Light levels and shade/drapery positions can be fine-tuned by pressing and holding the raise/lower buttons.
- Programmable to select scene or room preset levels or positions.
- Adjustable backlight intensity.
- IR receivers at the front (-W5BRLIR only) and back (all models) of the keypad allow for the use of an IR remote for line-of-sight operation (front) or IR repeater kit

integration (back). Design Features

- Use an IR remote to select the same programmed rooms, scenes, and raise/lower buttons as the keypad (-W5BRLIR only).
- Configurable Raise/Lower selection – Last button or IR room/ scene (default) – devices controlled by the last button pressed or last IR room/ scene selected will raise/lower. – Double-tap – devices controlled by a double-tapped button will raise/lower.
- Prepaid engraving included. Redeemable for one engraved Replacement Kit.

RRT - G25LW – RadioRA 2 ARCHITECTURAL RF GRAFIK T CL DIMMER



This is the RadioRA 2 architectural RF GRAFIK T CL dimmer. RadioRA® 2 architectural RF GRAFIK T local controls function much like standard dimmers or switches, but can be operated as part of a lighting control system. GRAFIK T controls are useful in locations where single circuits of lighting need to be dimmed or switched. All Dimmers, Switches, and Accessories GRAFIK T dimmers and switches contain an Advanced Programming Mode (APM) that allows users to customize the control to meet their specific needs.

All Dimmers, Switches, and Accessories

The RadioRA 2 architectural RF GRAFIK T CL dimmer contains an Advanced Programming Mode (APM) that allows users to customize the control to meet their specific needs.

Available advanced features include:

- High-end Trim: Adjust the maximum light level of the load.
- Low-end Trim: Adjust the minimum light level of the load.
- LED Brightness: Select between high and low brightness of the control LED.
- Sound On/Off: Enable or disable audible clicking feedback.
- Delayed Fade-to-Off: Adjust the waiting period upon fade-to-off.
- Toggle Fade Rate Adjust: Adjust the fade rate upon toggling.
- Protected Preset Adjust: Select between locked and unlocked presets.

Check out the RadioRA 2 products page [here](#).

- Controls include dimmers, switches, and companion devices.
- Simple touch control.
- Distinctive architectural aesthetic.
- Softly lit white LEDs indicate light level and coordinate with any décor.
- Advanced microprocessor dimming technology for control of dimmable LED lamps.
- Low-end and high-end trim are available for improved LED dimming performance (dimmer only).
- Optional neutral connection available for superior LED dimming performance (C•L® dimmer only).
- Phase selectable technology allows forward or reverse

phase dimming for compatibility with more load types.

- Installs in single-pole or multi-location applications. Companion devices are available for multi-location control with dimmers and switches (maximum 4 companion devices per dimmer or switch, 1 main control per circuit).
- Use Lutron® GRAFIK TTM wallplates (sold separately).
- Lutron® GRAFIK TTM wallplates snap on with no visible means of attachment.

RRT-G5NEW – RadioRA 2 ARCHITECTURAL RF GRAFIK T PHASE SELECTABLE DIMMER



This is the RadioRA 2 architectural RF GRAFIK T phase selectable dimmer. RadioRA® 2 architectural RF GRAFIK T local controls function much like standard dimmers or switches, but can be operated as part of a lighting control system. GRAFIK T controls are useful in locations where single circuits of lighting need to be dimmed or switched. All Dimmers, Switches, and Accessories GRAFIK T dimmers and switches contain an Advanced Programming Mode (APM) that allows users to customize the control to meet their specific needs. **Check out the RadioRA 2 products page here.**

- Controls include dimmers, switches, and companion devices.
 - Simple touch control.
 - Distinctive architectural aesthetic.
 - Softly lit white LEDs indicate light level and coordinate with any décor.
 - Advanced microprocessor dimming technology for control of dimmable LED lamps.
 - Low-end and high-end trim are available for improved LED dimming performance (dimmer only).
 - Optional neutral connection available for superior LED dimming performance (C•L® dimmer only).
 - Phase selectable technology allows forward or reverse phase dimming for compatibility with more load types.
 - Installs in single-pole or multi-location applications. Companion devices are available for multi-location control with dimmers and switches (maximum 4 companion devices per dimmer or switch, 1 main control per circuit).
 - Use Lutron® GRAFIK TTM wallplates (sold separately).
 - Lutron® GRAFIK TTM wallplates snap on with no visible means of attachment.
-

WattStopper CS-350-N PIR Dual Relay Sensor



The WattStopper CS-350-N Passive Infrared (PIR) Dual Relay Vacancy Sensor provides automatic lighting shutoff for applications that require separate switching of two loads. It is engineered to comply with specific provisions of California's Title 24-2013 energy code. The CS-350-N operates as a manual-on sensor. Users must press one or both of the on/off pushbuttons to turn on the connected loads. The CS-350-N employs PIR technology to sense the difference between the infrared energy from a person in motion and the background space. Also, the sensor keeps loads on as long as motion is detected and provides automatic shutoff, following a user-selected time delay, when motion is no longer detected. Users may turn the connected loads off manually. The integral nightlight helps preserve night vision by providing low-level illumination when the connected loads are off. The nightlight uses energy-efficient LEDs.

Features

- Complies with 2011 NEC requirements
- Replaces standard switches for control of lighting and/or fans
- Contains two relays to control two independent lighting loads or circuits
- Adjustable time delay, 15 seconds to 30 minutes
- Amber LED nightlight turns on whenever connected loads are off
- Lighted switch for visibility in darkened rooms
- Low-profile styling
- Choice of five decorator colors; lens is color-matched to the device
- Operates most common types of lighting or fan motors
- Relay-based switching
- No current leakage to load in off mode for safety
- Compatible with decorator wall plates
- CA Title 24 compliant

For other items like the WattStopper CS-350-N PIR Dual Relay

Sensor [click here](#).

For more information on WattStopper's line of lighting control solutions [click here](#).

WattStopper RD-200-W PASSIVE INFRARED (PIR) DIMMING WALL SWITCH VACANCY SENSOR



WattStopper RD-200-W PASSIVE INFRARED (PIR) DIMMING WALL SWITCH VACANCY SENSOR. This is the Passive Infrared (PIR) Dimming Wall Switch Vacancy Sensor. The RD-200 PIR Dimming Wall Switch Vacancy Sensor provides preset dimming control and occupancy-based automatic lighting shutoff for applications throughout the home. The RD-200 can dim incandescent loads from a minimum level of 10% to a maximum level of 100%. When the pushbutton is pressed and held, the RD-200 will ramp the lights up and down in a continuous cycle until the pushbutton is released. The dimming direction may be reversed by momentarily releasing the pushbutton and then pressing it again.

- Replaces standard single pole switch or incandescent dimmer
- Low-profile styling
- Choice of four decorator colors; lens is color matched

to device

- Includes matching single-gang wall plate
- Lighted pushbutton for visibility in darkened rooms
- Manual-on or automatic-on operation
- Adjustable time delay from 15 seconds to 30 minutes
- Soft start technology to prolong lamp life
- Air gap isolation switch for safe re-lamping
- If enabled, light level sensing prevents automatic-on when adequate daylight exists

For other items like the WattStopper RD-200-W PASSIVE INFRARED (PIR) DIMMING WALL SWITCH VACANCY SENSOR [click here](#).

For more information on Wattstopper's line of lighting solutions [click here](#).

CHECK OUT THIS CASE STUDY

[WS-CaseStudy-GreenHome_OccupancyVacancyTimeswitches](#)

WSX D – Wall Occupancy PIR Sensor Switch w/ Dimming



- Wall Occupancy Sensor with Soft Push Button and 0-10 Volt Dimming Capability
- Small Motion Detection up to 20 Ft
- Automatic On

- Integrated Photocell (disabled by default) prevents light from turning on if sufficient daylight is present – not available in Nightlight versions
 - Push-button programmable without removing cover plate – adjustable time delays & operating modes
 - Pre-configured for wiring without a neutral but is field configurable for code with neutral
 - Applications: Small Offices, Small Rest Rooms, Closets, Small Enclosed Spaces
 - Great for CA Title 24 Applications (Occupancy, Dimming, Daylight Harvesting)
-

WSX-D-PDT – DUAL TECHNOLOGY OCCUPANCY SENSOR SWITCH W/ DIMMING



- Wall Occupancy Sensor with Soft Push Button and 0-10 Volt Dimming Capability
- Passive Dual Technology (PDT) with Microphonics for Superior Detection
- Small Motion Detection up to 20 Ft
- Automatic On
- Integrated Photocell (disabled by default) prevents light from turning on if sufficient daylight is present

- not available in Nightlight versions
- Push-button programmable without removing cover plate – adjustable time delays & operating modes
- Pre-configured for wiring without a neutral but is field configurable for code with neutral
- Applications: Small Offices, Small Rest Rooms, Closets, Small Enclosed Spaces