



CA-1 – COSMETIC ADAPTER CI, DT, & UT MODEL CEILING SENSORS

This is the Cosmetic adapter CL, DT, & UT model ceiling sensors. CLCOSMETIC ADAPTER FOR CEILING INSTALLATIONS WITH 4" SQUARE J-BOX OR WIREMOLD #V5752 BOX. **Check out Wattstopper DLM products here.**



LC8-120/277 – 120/277 VOLT MODULAR CONTRACTOR PANEL W/ POWER SUPPLY

This is the 120/277 volt modular contractor panel w/ power supply. The LC8 panel provides zone-based control of up to

eight channels, or zones, of interior and exterior lighting. Zones respond to control signals from the system clock, or an accessory photocell, to automatically turn lighting on and off. The LC8 panel uses interchangeable relay modules, available separately, that can be selected to suit project needs. Relay options include the LCSP-2 dual single-pole module and LCDP- 1 double-pole module. **Check out Wattstopper DLM products here.**



LMCP24 – LMCP 24-RELAY LIGHTING CONTROL PANEL

The LMCP 24-relay lighting control panel provides simple network-capable lighting control enabling the automation of lighting functions throughout an entire facility. The HDR relays in the panel can respond directly to inputs from Digital Lighting Management (DLM) switches, occupancy sensors, daylight sensors, and input modules.

Relays in each LMCP 24-relay lighting control panel can be assigned to up to 99 automation groups in any combination. Each group can respond to unique scheduled events and light/dark photocell operations set up via an LMCT-100 handheld configuration tool. A group can also respond to schedules sent from a Segment Manager or a BACnet-enabled building automation system (BAS). Individual relays, or groups

of relays, can also be controlled by DLM digital switches, occupancy sensors, LMLS series daylight sensors, and LMIO series input modules. Controls are assigned to relays using Push n' Learn™ directly from the user input device, or via an LMCT-100.

Multiple panels may be networked together for global control operation without the use of a Segment Manager or BAS. The LMCP 24-relay lighting control panel also provides a native-BACnet integration solution via BACnet MS/TP. Relay, group, and control device status, including occupancy sensor status, are available as BACnet objects. When a Wattstopper Segment Manager is used, it will automatically recognize LMCP panels and map them to the browser-based user interface so that they can be configured with minimal additional setup.

LMCP 24-relay lighting control panel provide effective, code-compliant control of building exterior lighting as well as larger interior areas that are not suited for DLM distributed controls. Recommended applications include office building lobbies, corridors, loading docks, etc., as well as school gymnasiums, commons areas and hallways. LMCP panels are also ideal for retrofit scenarios where mounting control equipment near existing branch circuit breakers is beneficial and digital switch and sensor devices and load parameter configurability are required to meet complex operational sequences.

Wattstopper DLM: Simplicity Defined

FEATURES

- Standard single pole heavy duty relays UL and cUL listed for both lighting and plug loads
- Also available in interiors sized for 8 or 48 relays maximum
- LMCT-100 handheld configuration tool recommended for setup


- Runs event-based schedule routines independently (does not require BAS or Segment Manager)
 - Supports astronomical, time-based, and photocell-based event types
 - Two free-topology DLM Category 5e local networks for DLM sensors, switches, and LMI0 series input modules
 - Additional power available for low voltage switches or accessories
 - BAA/TAA-compliant models available
-



LMCP48 – 48 RELAYS LIGHTING CONTROL PANEL

This is the 48 relays lighting control panel. **Check out Wattstopper DLM products here.**

- Standard single pole heavy duty relays UL and cUL listed for both lighting and plug loads
- Runs event-based schedule routines independently (does not require BAS or Segment Manager)
- Supports astronomical, time-based, and photocell-based event types
- Two free-topology DLM Category 5e local networks for DLM sensors, switches, and LMI0 series input modules
- Additional power available for low voltage switches or accessories



LMCP8 – 8 RELAYS LIGHTING CONTROL PANEL

This is the 8 relays lighting control panel. **Check out Wattstopper DLM products here.**

- Standard single pole heavy duty relays UL and cUL listed for both lighting and plug loads
- Runs event-based schedule routines independently (does not require BAS or Segment Manager)
- Supports astronomical, time-based, and photocell-based event types
- Two free-topology DLM Category 5e local networks for DLM sensors, switches, and LMI0 series input modules
- Additional power available for low voltage switches or accessories



LP8S-4-115 – LP8 PEANUT PANEL W/ 4 RELAYS

This is the LP8 peanut panel w/ 4 relays. WattStopper's LP8 Peanut Lighting Control Panels provide simple, effective zone-based control of exterior and interior lighting in small applications. Panels control up to eight channels or zones of lighting. Zones respond to control signals from the system clock (or other signaling device) to turn lighting on and off. LP8 Panels ship pre-assembled in easy-to-install compact packages available for surface and flush mounting. They consist of relays, a system clock, panel intelligence, power supply, tub and cover. The standard enclosure is NEMA 1-rated. **Check out Wattstopper DLM products [here](#).**



LP8S-8-115 – LP8 PEANUT PANEL W/ 8 RELAYS

This is the LP8 peanut panel w/ 8 relays. WattStopper's LP8 Peanut Lighting Control Panels provide simple, effective zone-based control of exterior and interior lighting in small applications. Panels control up to eight channels or zones of lighting. Zones respond to control signals from the system clock (or other signaling device) to turn lighting on and off.

LP8 Panels ship pre-assembled in easy-to-install compact packages available for surface and flush mounting. They consist of relays, a system clock, panel intelligence, power supply, tub and cover. The standard enclosure is NEMA 1-rated. **Check out Wattstopper DLM products here.**



LP8S-8-G-115 – LP8 PEANUT PANEL W/ 8 RELAYS & GROUP CARD

This is the LP8 peanut panel w/ 8 relays & group card. WattStopper's LP8 Peanut Lighting Control Panels provide simple, effective zone-based control of exterior and interior lighting in small applications. Panels control up to eight channels or zones of lighting. Zones respond to control signals from the system clock (or other signaling device) to turn lighting on and off. LP8 Panels ship pre-assembled in easy-to-install compact packages available for surface and flush mounting. They consist of relays, a system clock, panel intelligence, power supply, tub and cover. The standard enclosure is NEMA 1-rated. **Check out Wattstopper DLM products here.**



MA-T530G-XX – Maestro Single- Pole Countdown eco-timer control switch